

6855AGM-204-500

Navn: **Watchdog**
 Watchdog 110 MasterLINE, hvit
 Watchdog

Type: 6855AGM-204-500


EAN: 4011395163221

EI-nummer: 1471137

Beskrivelse: Watchdog 110 MasterLINE. Farge: hvit.

Forpakning: 1/10

Enhet: STK



Teknisk spesifikasjon

Dimensjoner

Dimensjoner 100x125x33 mm
 Vekt 340 g

Klassifisering

Kapslingsklasse IP55

Elektriske størrelser

Nominell effekt 0 ... 2300 W/VA
 Effektkoeffisient (cos φ) 0.6
 Koblingsstrøm ≤ 10 AX

Elektronikk

Forsinkelsestid 10 s-30 min
 Dekningsområde 110°, eteen 12 m, sivuille 4 m
 Driftsfrekvens 50 ... 60 Hz

Farger

Farge Hvit

Driftstemperatur -25 ... 55 °C

ETIM

ETIM 7 EC000133 (EC000133)
 ETIM 8 EC000133 (EC000133)

ETIM 8

Model Movement sensor
 With DALI interface no
 Constant light control no
 HVAC-control no

6855AGM-204-500

Forced switch off	yes
Animal zone	no
Creep-under protection	yes
Networkable	no
Optimum mounting height	2.5 m
Staircase monitoring	no
Bridging switch	no
Max. transmission range sideways	4 m
Max. transmission range frontally	12 m
Suitable for wireless transmission	no
Remote operation	yes
With remote control	no
Response value sensitivity adjustable	yes
Response value luminosity adjustable	yes
With signal unit	no
Teach-function for response value luminosity	yes
Dim function with dimmer basic element	no
Mounting method	Surface mounted (plaster)
Material	Plastic
Material quality	Thermoplastic
Halogen free	yes
Surface protection	Untreated
Surface finishing	Matt
Colour	White
RAL-number (similar)	9010
Transparent	no
Degree of protection (IP)	IP55
Voltage type	AC
Frequency	50 ... 60 Hz
Nominal voltage	230 V
Min. switch-on time	10 s
Max. duty cycle	30 min
Detection angle horizontal	
Pivoting range sensor, horizontal	
Pivoting range sensor, vertical	
Response value luminosity	3 ... 150 lx
Max. switching power	2300 W

6855AGM-204-500

Suitable for C-load	no
Temperature	-25 ... 55 °C
Max. starting current	80 A
Substation input	no
With alarm function	no